Product Name: Caspase 3 (5H3) Mouse Monoclonal

Antibody

Catalog #: AMM00741



Summary

Production Name Caspase 3 (5H3) Mouse Monoclonal Antibody

Description Primary antibody

Host Mouse Application IHC-P

Reactivity Human, Rat, Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG1

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Purification Affinity Purified

Immunogen

Gene Name CASP3

CASP3; CPP32; Caspase-3; CASP-3; Apopain; Cysteine protease CPP32; CPP-32; Protein

Alternative Names

Yama; SREBP cleavage activity 1; SCA-1

 Gene ID
 836

 SwissProt ID
 P42574

Application

Dilution Ratio IHC: 1/50-1/100

Molecular Weight -

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Caspase 3 (5H3) Mouse Monoclonal

Antibody

Catalog #: AMM00741




Background

Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce 2 subunits, large and small, that dimerize to form the active enzyme.


Research Area

Cell Biology

Image Data



Immunohistochemistry analysis of paraffin-embedded Human Skin Tissue using Caspase 3 (5H3) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemical analysis of paraffin-embedded Human tonsils using Caspase 3 (5H3) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Caspase 3 (5H3) Mouse Monoclonal

Antibody

Catalog #: AMM00741





Immunohistochemistry analysis of paraffin-embedded mouse Liver Tissue using Caspase3 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838