

**Product Name: ERK1 (8G6) Mouse Monoclonal Antibody**  
**Catalog #: AMM00759**

---

## Summary

<b>Production Name</b>	ERK1 (8G6) Mouse Monoclonal Antibody
<b>Description</b>	Primary antibody
<b>Host</b>	Mouse
<b>Application</b>	IHC-P
<b>Reactivity</b>	Human,Rat,Mouse

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG1
<b>Clonality</b>	Monoclonal Antibody
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
<b>Purification</b>	Affinity Purified

## Immunogen

<b>Gene Name</b>	MAPK3
<b>Alternative Names</b>	MAPK3
<b>Gene ID</b>	5595
<b>SwissProt ID</b>	P27361

## Application

<b>Dilution Ratio</b>	IHC: 1/50-1/100
<b>Molecular Weight</b>	-

## Background

Serine/threonine kinase which acts as an essential component of the MAP kinase signal transduction pathway.

**Product Name: ERK1 (8G6) Mouse Monoclonal Antibody**  
**Catalog #: AMM00759**




MAPK1/ERK2 and MAPK3/ERK1 are the 2 MAPKs which play an important role in the MAPK/ERK cascade. They participate also in a signaling cascade initiated by activated KIT and KITLG/SCF. Depending on the cellular context, the MAPK/ERK cascade mediates diverse biological functions such as cell growth, adhesion, survival and differentiation through the regulation of transcription, translation, cytoskeletal rearrangements.


## Research Area

Cell Biology

## Image Data



Immunohistochemistry analysis of paraffin-embedded Human Tonsil Tissue using ERK1 (8G6) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemical analysis of paraffin-embedded Human tonsils using ERK1 (8G6) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

## Note

For research use only.