Product Name: SMC1A Mouse Monoclonal Antibody

Catalog #: AMM00962



Summary

Production Name SMC1A Mouse Monoclonal Antibody

Description Primary antibody

HostMouseApplicationWB,ICC/IFReactivityHuman

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype lgG1

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Purification Affinity Purified

Immunogen

Gene Name SMC1A

Chromosome segregation protein SmcB; DXS423E; KIAA0178; MGC138332; Sb1.8; Segregation of mitotic chromosomes 1; SMC protein 1A; SMC-1-alpha; SMC-1A; SMC1

(structural maintenance of chromosomes 1 yeast) like 1; SMC1; SMC1 structural

maintenance of chromosomes 1 like 1; SMC1A; SMC1A_HUMAN; SMC1alpha; SMC1L1;

SMCB; Structural maintenance of chromosomes 1A; Structural maintenance of

chromosomes protein 1A.

Gene ID 8243

Alternative Names

SwissProt ID Q14683

Application

Dilution Ratio WB: 1/500-1/1000 IF: 1/50-1/200

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: SMC1A Mouse Monoclonal Antibody

Catalog #: AMM00962



Molecular Weight

Calculated MW: 143 kDa; Observed MW: 143 kDa


Background

Structural maintenance of chromosomes 1 (SMC1) protein is a chromosomal protein member of the cohesin complex that enables sister chromatid cohesion and plays a role in DNA repair . ATM/NBS1-dependent phosphorylation of SMC1 occurs at Ser957 and Ser966 in response to ionizing radiation (IR) as part of the intra-S-phase DNA damage checkpoint. SMC1 phosphorylation is ATM-independent in cells subjected to other forms of DNA damage, including UV light and hydroxyurea treatment.

Research Area

Cell Biology

Image Data



Western blot analysis of SMC1A(Cterm) in K562, Jurkat, C6, 3T3 and Hela lysates using SMC1A (Nterminus) antibody.

Note

For research use only.