

Summary

BAG1 (2C12) Mouse Monoclonal Antibody	
Primary antibody	
Mouse	
WB	
Transfected	

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	lgG1	
Clonality	Monoclonal Antibody	
Form	Liquid	
Storogo	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
Storage	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.	
Purification	Affinity Purified	

Immunogen

Gene Name	BAG1
Alternative Names	BAG1; HAP; BAG family molecular chaperone regulator 1; BAG-1; Bcl-2-associated
	athanogene 1
Gene ID	573
SwissProt ID	Q99933

Application

Dilution Ratio	WB: 1/500-1/1000
Molecular Weight	Calculated MW: 39 kDa; Observed MW: 52,46,33 kDa




Background

Inhibits the chaperone activity of HSP70/HSC70 by promoting substrate release.Inhibits the pro-apoptotic function of PPP1R15A, and has anti-apoptotic activity.Markedly increases the anti-cell death function of BCL2 induced by various stimuli.

Research Area

Cell Biology

Image Data



Western blot analysis of BAG1 (2C12) in CHO-K1, transfected with a Human pEGFPC1BAG1 construct (A) or transfected with a Human pEGFPC1 construct (B), using Bag1 antibody.

Note

For research use only.