

# **Summary**

Production Name	p53 (2D10) Mouse Monoclonal Antibody	
Description	Primary antibody	
Host	Mouse	
Application	WB,IHC-F,IHC-P,ICC/IF	
Reactivity	Human	

#### Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	lgG1	
Clonality	Monoclonal Antibody	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.	
Purification	Affinity Purified	

#### Immunogen

Gene Name	TP53
Alternative Names	TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor
	suppressor p53
Gene ID	7157
SwissProt ID	P04637

# Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200
Molecular Weight	Calculated MW: 44 kDa; Observed MW: 53 kDa

### Background


# Product Name: p53 (2D10) Mouse Monoclonal Antibody Concerning #: AMM03597

Tumor protein p53, a nuclear protein, plays an essential role in the regulation of cell cycle, specifically in the transition from G0 to G1. It is found in very low levels in normal cells, however, in a variety of transformed cell lines, it is expressed in high amounts, and believed to contribute to transformation and malignancy. p53 is a DNA-binding protein containing DNA-binding, oligomerization and transcription activation domains.


### **Research Area**

Cell Biology


## Image Data



Immunofluorescence analysis of p53 in Hela using p53 (2D10) antibody (Left) and DAPI (Right).



Immunohistochemistry analysis of paraffin-embedded Human colon cancer tissue using p53 (2D10) antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of p53 (2D10) in T47D and COS7 lysates using p53 (2D10) antibody

#### Note

For research use only.