# Product Name: PI3 Kinase p85 alpha (3H5) Mouse

Monoclonal Antibody Catalog #: AMM03618



#### **Summary**

Production Name PI3 Kinase p85 alpha (3H5) Mouse Monoclonal Antibody

**Description** Primary antibody

Host Mouse
Application WB,IHC-P

**Reactivity** Human, Mouse, Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

Isotype IgG1

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification** Affinity Purified

#### **Immunogen**

Gene Name PIK3R1

PIK3R1; GRB1; Phosphatidylinositol 3-kinase regulatory subunit alpha; PI3-kinase

regulatory subunit alpha; PI3K regulatory subunit alpha; PtdIns-3-kinase regulatory

Alternative Names

subunit alpha; Phosphatidylinositol 3-kinase 85 kDa regulatory subunit alpha; PI3-

kinase subunit p85-alpha; PtdIns-3-kinase regulatory subunit p85-alpha

Gene ID 5295

SwissProt ID P27986

## **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100

Molecular Weight Calculated MW: 84 kDa; Observed MW: 84 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: PI3 Kinase p85 alpha (3H5) Mouse

Monoclonal Antibody Catalog #: AMM03618




### **Background**

Binds to activated (phosphorylated) protein-Tyr kinases, through its SH2 domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane. Necessary for the insulin-stimulated increase in glucose uptake and glycogen synthesis in insulin-sensitive tissues. Plays an important role in signaling in response to FGFR1, FGFR2, FGFR3, FGFR4, KITLG/SCF, KIT, PDGFRA and PDGFRB. Likewise, plays a role in ITGB2 signaling.


#### **Research Area**

**Signal Transduction** 

## **Image Data**



Immunohistochemistry analysis of paraffin-embedded rat Liver Tissue using PI3 Kinase p85 alpha (3H5) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.




Immunohistochemical analysis of paraffin-embedded Human tonsils using PI3 Kinase p85 alpha (3H5) antibody. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


# Product Name: PI3 Kinase p85 alpha (3H5) Mouse

Monoclonal Antibody Catalog #: AMM03618





Western blot analysis of PI3 Kinase p85 alpha (3H5) in THP-1, MCF-7, Goat Muscle, CHO-K1, C6, 3T3 lysates using PI3 Kinase p85 alpha (3H5) antibody



Western blot analysis of PI3 Kinase p85 alpha (3H5) in Hela, A549, HL-60, U2OS, C6 lysates using PI3 Kinase p85 alpha (3H5) antibody.

#### **Note**

For research use only.