# **Product Name: beta III Tubulin Rabbit Monoclonal**

**Antibody** 

Catalog #: AMRe01724



### **Summary**

Production Name beta III Tubulin Rabbit Monoclonal Antibody

Description Recombinant Rabbit Monoclonal antibody

**Host** Rabbit

**Application** WB,IHC-F,IHC-P,ICC/IF,IP

**Reactivity** Human, Mouse, Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw  $\bf Storage$ 

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer** 

BSA

**Purification** Affinity Purified

### **Immunogen**

Gene Name TUBB3

Alternative Names TUBB3; TUBB4; Tubulin beta-3 chain; Tubulin beta-4 chain; Tubulin beta-III

 Gene ID
 10381

 SwissProt ID
 Q13509

## **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20

Molecular Weight Calculated MW: 50 kDa; Observed MW: 50 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# **Product Name: beta III Tubulin Rabbit Monoclonal**

**Antibody** 

Catalog #: AMRe01724




### **Background**

TUBB3 Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain. TUBB3 plays a critical role in proper axon guidance and mantainance.


#### **Research Area**

Signal Transduction

## **Image Data**



Western blot analysis of beta III Tubulin in A549, mouse brain lysates using beta III Tubulin antibody.



Western blot analysis of beta III Tubulin in rat Brain lysates using beta III Tubulin antibody.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# **Product Name: beta III Tubulin Rabbit Monoclonal**


**Antibody** 

Catalog #: AMRe01724





Immunocytochemistry analysis of beta III Tubulin(green) in Hela using beta III Tubulin antibody, and DAPI(blue)



Immunohistochemistry analysis of paraffin-embedded Human colon cancer using beta III Tubulin antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838