

Summary

| Production Name | FH Rabbit Monoclonal Antibody |
|-----------------|--|
| Description | Recombinant Rabbit Monoclonal antibody |
| Host | Rabbit |
| Application | WB,ICC/IF |
| Reactivity | Human, Mouse, Rat, Hamster |

Performance

| Conjugation | Unconjugated |
|--------------|---|
| Modification | Unmodified |
| lsotype | IgG |
| Clonality | Monoclonal Antibody |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw |
| | cycles. |
| Buffer | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% |
| | BSA |
| Purification | Affinity Purified |

Immunogen

| Gene Name | FH |
|-------------------|---|
| Alternative Names | Fumarate hydratase; mitochondrial; Fumarase |
| Gene ID | 2271 |
| SwissProt ID | P07954 |

Application

| Dilution Ratio | WB: 1/500-1/1000 IF: 1/50-1/200 |
|------------------|--|
| Molecular Weight | Calculated MW: 55 kDa; Observed MW: 49 kDa |

Background

Product Name: FH Rabbit Monoclonal Antibody Catalog #: AMRe01983




Also acts as a tumor suppressor. Miscellaneous There are 2 substrate-binding sites: the catalytic A site, and the non-catalytic B site that may play a role in the transfer of substrate or product between the active site and the solvent. Alternatively, the B site may bind allosteric effectors .


Research Area

Signal Transduction


Image Data



Western blot analysis of FH/Fumarase in mouse heart lysates using FH antibody.



Western blot analysis of FH/Fumarase in CHO-K1, C6, Jurkat lysates using FH/Fumarase antibody.



Immunocytochemistry analysis of FH (green) in hela using FH antibody, and DAPI(blue)



Note For research use only.