

Summary

Production Name	Hsc70 Rabbit Monoclonal Antibody
Description	Recombinant Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,IHC-P,IP
Reactivity	Human,Mouse,Rat,Hamster

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Purification	Affinity Purified

Immunogen

Gene Name	HSPA8
Alternative Names	Heat shock cognate 71 kDa protein (Heat shock 70 kDa protein 8)
Gene ID	3312
SwissProt ID	P11142

Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20
Molecular Weight	Calculated MW: 71 kDa; Observed MW: 71 kDa

Background

Product Name: Hsc70 Rabbit Monoclonal Antibody
Catalog #: AMRe02119




Acts as a repressor of transcriptional activation. Inhibits the transcriptional coactivator activity of CITED1 on Smad-mediated transcription. Chaperone. Component of the PRP19-CDC5L complex that forms an integral part of the spliceosome and is required for activating pre-mRNA splicing.


Research Area

Signal Transduction


Image Data



Western blot analysis of Hsc70 in mouse heart, 3T3 lysates using Hsc70 antibody.




Western blot analysis of Hsc70 in HeLa lysates using Hsc70 antibody.



Western blot analysis of Hsc70 in Jurkat, rat Brain, C6, CHO-K1, HeLa lysates using Hsc70 antibody

Product Name: Hsc70 Rabbit Monoclonal Antibody
Catalog #: AMRe02119



Immunohistochemistry analysis of paraffin-embedded Human colon cancer using Hsc70 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.