Product Name: Hsp27 Rabbit Monoclonal Antibody

Catalog #: AMRe02122



Summary

Production Name Hsp27 Rabbit Monoclonal Antibody

Description Recombinant Rabbit Monoclonal antibody

Host Rabbit

Application WB,IHC-F,IHC-P,ICC/IF,IP

Reactivity Human, Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purified

Immunogen

Gene Name HSPB1

HSPB1; HSP27; HSP28; Heat shock protein beta-1; HspB1; 28 kDa heat shock protein;

Alternative Names Estrogen-regulated 24 kDa protein; Heat shock 27 kDa protein; HSP 27; Stress-

responsive protein 27; SRP27

 Gene ID
 3315

 SwissProt ID
 P04792

Application

Dilution Ratio WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20

Molecular Weight Calculated MW: 23 kDa; Observed MW: 27 kDa

Product Name: Hsp27 Rabbit Monoclonal Antibody

Catalog #: AMRe02122




Background

Heat shock protein (HSP) 27 is one of the small HSPs that are constitutively expressed at different levels in various cell types and tissues. Like other small HSPs, HSP27 is regulated at both the transcriptional and posttranslational levels. In response to stress, the HSP27 expression increases several-fold to confer cellular resistance to the adverse environmental change. HSP27 is phosphorylated at Ser15, Ser78, and Ser82 by MAPKAPK-2 as a result of the activation of the p38 MAP kinase pathway.


Research Area

Signal Transduction

Image Data



Western blot analysis of Hsp27 in mouse muscle, mouse heart lysates using Hsp27 antibody.




Western blot analysis of Hsp27 in K562 lysates using Hsp27 antibody.

Product Name: Hsp27 Rabbit Monoclonal Antibody

Catalog #: AMRe02122





Immunohistochemistry analysis of paraffin-embedded Human tonsil using Hsp27 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.