

# Summary

Production Name	JNK Rabbit Monoclonal Antibody
Description	Recombinant Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,IP
Reactivity	Human, Mouse, Rat, Hamster

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05%
	BSA
Purification	Affinity Purified

## Immunogen

Gene Name	МАРК8
	Al849689; c Jun N terminal kinase 1; C-JUN kinase 1; c-Jun N-terminal kinase 1; EC
	2.7.11.24; JAK 1A; JAK1A; JNK 1; JNK 46; JNK; JNK-46; JNK1A2; JNK21B1/2; MAP kinase
	8; MAPK 8; MAPK8; Mitogen activated protein kinase 8; Mitogen-activated protein
Alternative Names	kinase 8; MK08_HUMAN; p54 gamma; PRKM 8; PRKM8; Protein kinase JNK1; Protein
	kinase; mitogen-activated; 8; SAPK 1; SAPK gamma; SAPK1; Stress activated protein
	kinase JNK1; Stress-activated protein kinase 1; Stress-activated protein kinase JNK1;
	Tyrosine protein kinase JAK1 .
Gene ID	5599
SwissProt ID	P45983

# Application

## Product Name: JNK Rabbit Monoclonal Antibody Catalog #: AMRe03748



#### **Dilution Ratio**

**Molecular Weight** 

WB: 1/500-1/1000 IP: 1/20

Calculated MW: 48 kDa; Observed MW: 46,54 kDa


### Background

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Apr 2016]

### **Research Area**


Signal Transduction

### Image Data



Western blot analysis of JNK1/2/3 in mouse brain lysates using JNK antibody.





Western blot analysis of JNK1/2/3 in Jurkat, rat Brain, C6, CHO-K1, Hela lysates using JNK1/2/3 antibody.

### Note

For research use only.