

# Summary

Caspase-6 p18 (16U11) Rabbit Monoclonal Antibody	
Rabbit Monoclonal Antibody	
Rabbit	
WB,ELISA	
Human	

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New typepreservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term.Avoid freeze / thaw cycle.
Purification	Affinity purification

## Immunogen

Gene Name	CASP6	
Alternative Names	Apoptotic protease MCH2; CASP6; Caspase 6; Caspase 6 apoptosis related cysteine	
Alternative Names	protease; Caspase-6 subunit p11; Caspase-6 subunit p20; Mch2	
Gene ID	839.0	
SwissProt ID	P55212.	

# Application

Dilution Ratio	WB 1:1000~1:2000
Molecular Weight	33kDa



## Background


Caspase-6 is one of the major executioner caspases functioning in cellular apoptotic processes. Involved in the activation cascade of caspases responsible for apoptosis execution. Cleaves poly(ADP-ribose) polymerase in vitro, as well as lamins. Overexpression promotes programmed cell death. Cysteine protease that plays essential roles in programmed cell death, axonal degeneration, development and innate immunity (PubMed:<a href="http://www.uniprot.org/citations/8663580" target=" blank">8663580</a>, PubMed:<a href="http://www.uniprot.org/citations/32298652" target=" blank">32298652</a>). During apoptosis, localizes in the nucleus and cleaves the nuclear structural protein NUMA1 and lamin A/LMNA thereby inducing nuclear shrinkage and fragmentation (PubMed:<a href="http://www.uniprot.org/citations/17401638" target=" blank">17401638</a>, PubMed:<a href="http://www.uniprot.org/citations/8663580" target=" blank">8663580</a>, PubMed:<a href="http://www.uniprot.org/citations/9463409" target=" blank">9463409</a>). Furthermore, cleaves many transcription factors such as NF-kappa-B and cAMP response element-binding protein/CREBBP (PubMed:<a href="http://www.uniprot.org/citations/10559921" target=" blank">10559921</a>, PubMed:<a href="http://www.uniprot.org/citations/14657026" target=" blank">14657026</a>). Cleaves phospholipid scramblase proteins XKR4 and XKR9 (By similarity). Plays an essential role in axon degeneration during axon pruning which is the remodeling of axons during neurogenesis but not apoptosis (By similarity). Regulates B-cell programs both during early development and after antigen stimulation (By similarity). In addition, promotes the ZBP1-mediated activation of programmed cell death pathways including pyroptosis, apoptosis, and necroptosis (PANoptosis) and plays an essential role in defense against viruses (PubMed: <a href="http://www.uniprot.org/citations/32298652" target=" blank">32298652</a>). Mechanistically, interacts with RIPK3 and enhances the interaction between RIPK3 and ZBP1, leading to ZBP1-mediated inflammasome activation and cell death (PubMed: <a href="http://www.uniprot.org/citations/32298652" target=" blank">32298652</a>).

## **Research Area**

#### **Image Data**

## Product Name: Caspase-6 p18 (16U11) Rabbit Monoclonal Antibody Catalog #: AMRe07977





Western blot analysis of Caspase-6 p18 expression in Jurkat cell treated with 1uM staurosporine lysate.

#### Note

For research use only.