

**Product Name: Drosha (18P9) Rabbit Monoclonal Antibody**  
**Catalog #: AMRe10163**

---

## Summary

<b>Production Name</b>	Drosha (18P9) Rabbit Monoclonal Antibody
<b>Description</b>	Rabbit Monoclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,ELISA
<b>Reactivity</b>	Human

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	DROSHA
<b>Alternative Names</b>	Ribonuclease 3 (EC:3.1.26.3); Protein Drosha; Ribonuclease III; RNase III; p241; DROSHA; RN3; RNASE3L; RNASEN;
<b>Gene ID</b>	29102.0
<b>SwissProt ID</b>	Q9NRR4.

## Application

<b>Dilution Ratio</b>	WB 1:1000-1:5000
<b>Molecular Weight</b>	159kDa

**Product Name: Drosha (18P9) Rabbit Monoclonal Antibody**  
**Catalog #: AMRe10163**

---




## Background

Drosha was identified as a nuclear RNase III that catalyzes the initial step of microRNA (miRNA) processing. This enzyme processes the long primary transcript pri-miRNAs into stem-looped pre-miRNAs. Interference of Drosha results in the increase of pri-miRNAs and the decrease of pre-miRNAs. Drosha exists in a multiprotein complex called Microprocessor along with other components such as DGCR8. Drosha, along with DGCR8, is necessary for miRNA biogenesis. Ribonuclease III double-stranded (ds) RNA-specific endoribonuclease that is involved in the initial step of microRNA (miRNA) biogenesis. Component of the microprocessor complex that is required to process primary miRNA transcripts (pri-miRNAs) to release precursor miRNA (pre-miRNA) in the nucleus. Within the microprocessor complex, DROSHA cleaves the 3' and 5' strands of a stem-loop in pri- miRNAs (processing center 11 bp from the dsRNA-ssRNA junction) to release hairpin-shaped pre-miRNAs that are subsequently cut by the cytoplasmic DICER to generate mature miRNAs. Involved also in pre-rRNA processing. Cleaves double-strand RNA and does not cleave single-strand RNA. Involved in the formation of GW bodies.

## Research Area

## Image Data



Western blot analysis of Drosha expression in 293 cell lysate.

## Note

For research use only.