

## Summary

Production Name	Galectin 8 (14S17) Rabbit Monoclonal Antibody
Description	Rabbit Monoclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human

#### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
Purification	Affinity purification

#### Immunogen

Gene Name	LGALS8
Alternative Names	LGALS8; Galectin-8g; Galectin-8; Po66-CBP; PCTA-1; Gal-8; Galectin 8; PCTA1;
Gene ID	3964.0
SwissProt ID	O00214 .

# Application

Dilution Ratio	WB 1:500-1:2000
Molecular Weight	36kDa



#### Background

Beta-galactoside-binding lectin that acts as a sensor of membrane damage caused by infection and restricts the proliferation of infecting pathogens by targeting them for autophagy. Beta-galactoside-binding lectin that acts as a sensor of membrane damage caused by infection and restricts the proliferation of infecting pathogens by targeting them for autophagy (PubMed:<a href="http://www.uniprot.org/citations/22246324" target=" blank">22246324</a>, PubMed:<a href="http://www.uniprot.org/citations/28077878" target=" blank">28077878</a>). Detects membrane rupture by binding beta-galactoside ligands located on the lumenal side of the endosome membrane; these ligands becoming exposed to the cytoplasm following rupture (PubMed: <a href="http://www.uniprot.org/citations/22246324" target=" blank">22246324</a>, PubMed:<a href="http://www.uniprot.org/citations/28077878" target=" blank">28077878</a>). Restricts infection by initiating autophagy via interaction with CALCOCO2/NDP52 (PubMed:<a href="http://www.uniprot.org/citations/22246324" target=" blank">22246324</a>, PubMed:<a href="http://www.uniprot.org/citations/28077878" target=" blank">28077878</a>). Required to restrict infection of bacterial invasion such as S.typhimurium (PubMed: <a href="http://www.uniprot.org/citations/22246324" target=" blank">22246324</a>). Also required to restrict infection of Picornaviridae viruses (PubMed:<a href="http://www.uniprot.org/citations/28077878" target=" blank">28077878</a>). Has a marked preference for 3'-Osialylated and 3'-O-sulfated glycans (PubMed: <a href="http://www.uniprot.org/citations/21288902" target=" blank">21288902</a>).

### **Research Area**

#### **Image Data**



Western blot analysis of Galectin 8 expression in LNCaP cell lysate.

## Note

For research use only.

