## **Summary**

**Production Name** Gli1 (17P5) Rabbit Monoclonal Antibody

**Description** Rabbit Monoclonal Antibody

Host Rabbit
Application WB,ELISA
Reactivity Human

## **Performance**

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type
Buffer	preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term.
	Avoid freeze / thaw cycle.
Purification	Affinity purification

#### **Immunogen**

Gene Name GLI1

Zinc finger protein GLI1; Glioma-associated oncogene; Oncogene GLI; Zfp5; GLI family Alternative Names

zinc finger 1;GLI;

 Gene ID
 2735.0

 SwissProt ID
 P08151.

# **Application**

**Dilution Ratio** WB 1:500~1:1000


Molecular Weight 118kDa

### **Background**

GLI belongs to the Kruppel family of zinc finger proteins that includes three mammalian GLI proteins: GLI1, GLI2, and GLI3. Acts as a transcriptional activator. May regulate the transcription of specific genes during normal development. May play a role in craniofacial development and digital development, as well as development of the central nervous system and gastrointestinal tract. Mediates SHH signaling and thus cell proliferation and differentiation. Acts as a transcriptional activator (PubMed: <a href="http://www.uniprot.org/citations/19706761" target=" blank">19706761</a>, PubMed: <a href="http://www.uniprot.org/citations/10806483" target=" blank">10806483</a>, PubMed:<a href="http://www.uniprot.org/citations/19878745" target=" blank">19878745</a>, PubMed:<a href="http://www.uniprot.org/citations/24076122" target=" blank">24076122</a>, PubMed:<a href="http://www.uniprot.org/citations/24311597" target=" blank">24311597</a>, PubMed:<a href="http://www.uniprot.org/citations/24217340" target=" blank">24217340</a>). Binds to the DNA consensus sequence 5'-GACCACCCA-3' (PubMed: <a href="http://www.uniprot.org/citations/2105456" target=" blank">2105456</a>, PubMed:<a href="http://www.uniprot.org/citations/8378770" target=" blank">8378770</a>, PubMed:<a href="http://www.uniprot.org/citations/24217340" target=" blank">24217340</a>). Regulates the transcription of specific genes during normal development (PubMed: <a href="http://www.uniprot.org/citations/19706761" target=" blank">19706761</a>). Plays a role in craniofacial development and digital development, as well as development of the central nervous system and gastrointestinal tract. Mediates SHH signaling (PubMed: <a href="http://www.uniprot.org/citations/19706761" target=" blank">19706761</a>, PubMed:<a href="http://www.uniprot.org/citations/28973407" target=" blank">28973407</a>). Plays a role in cell proliferation and differentiation via its role in SHH signaling (PubMed: <a href="http://www.uniprot.org/citations/11238441" target=" blank">11238441</a>, PubMed:<a href="http://www.uniprot.org/citations/28973407" target=" blank">28973407</a>).

#### **Research Area**

#### **Image Data**



Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Western blot analysis of Gli1 expression in A549 cell lysate.

#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838