

Summary

MAD1 (901) Rabbit Monoclonal Antibody
Rabbit Monoclonal Antibody
Rabbit
WB,ELISA
Human, Mouse, Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New typepreservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term.Avoid freeze / thaw cycle.
Purification	Affinity purification

Immunogen

Gene Name	MAD1L1
Alternative Names	hMAD1; HsMAD1; MAD1; MAD1L1; PIG9; TP53I9; TXBP181;
Gene ID	8379.0
SwissProt ID	Q9Y6D9.

Application

Dilution Ratio	WB 1:500-1:2000
Molecular Weight	83kDa




Background

Component of the spindle-assembly checkpoint that prevents the onset of anaphase until all chromosomes are properly aligned at the metaphase plate. Component of the spindle-assembly checkpoint that prevents the onset of anaphase until all chromosomes are properly aligned at the metaphase plate (PubMed:10049595, PubMed:20133940, PubMed:20133940, PubMed:29162720). Forms a heterotetrameric complex with the closed conformation form of MAD2L1 (C-MAD2) at unattached kinetochores during prometaphase, recruits an open conformation of MAD2L1 (O-MAD2) and promotes the conversion of O-MAD2 to C-MAD2, which ensures mitotic checkpoint signaling (PubMed:29162720" target="_blank">29162720" target="_blank">29162720" target="_blank">29162720

Research Area

Image Data



Western blot analysis of MAD1 expression in A431 cell lysate.

Note

For research use only.