



Product Name: SENP1 (18B5) Rabbit Monoclonal Antibody
Catalog #: AMRe17723

Summary

Production Name	SENP1 (18B5) Rabbit Monoclonal Antibody
Description	Rabbit Monoclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
Purification	Affinity purification

Immunogen

Gene Name	SENP1
Alternative Names	SENP1; SuPr2;
Gene ID	29843.0
SwissProt ID	Q9P0U3.

Application

Dilution Ratio	WB 1:500-1:2000
Molecular Weight	73kDa



Product Name: SENP1 (18B5) Rabbit Monoclonal Antibody
Catalog #: AMRe17723


Background

Protease that catalyzes two essential functions in the SUMO pathway: processing of full-length SUMO1, SUMO2 and SUMO3 to their mature forms and deconjugation of SUMO1, SUMO2 and SUMO3 from targeted proteins. Protease that catalyzes two essential functions in the SUMO pathway (PubMed:[10652325](http://www.uniprot.org/citations/10652325), PubMed:[15199155](http://www.uniprot.org/citations/15199155), PubMed:[16253240](http://www.uniprot.org/citations/16253240), PubMed:[16553580](http://www.uniprot.org/citations/16553580), PubMed:[21829689](http://www.uniprot.org/citations/21829689), PubMed:[21965678](http://www.uniprot.org/citations/21965678), PubMed:[23160374](http://www.uniprot.org/citations/23160374), PubMed:[24943844](http://www.uniprot.org/citations/24943844), PubMed:[25406032](http://www.uniprot.org/citations/25406032), PubMed:[29506078](http://www.uniprot.org/citations/29506078)). The first is the hydrolysis of an alpha-linked peptide bond at the C-terminal end of the small ubiquitin-like modifier (SUMO) propeptides, SUMO1, SUMO2 and SUMO3 leading to the mature form of the proteins. The second is the deconjugation of SUMO1, SUMO2 and SUMO3 from targeted proteins, by cleaving an epsilon-linked peptide bond between the C-terminal glycine of the mature SUMO and the lysine epsilon-amino group of the target protein. Deconjugates SUMO1 from HIPK2 (PubMed:[16253240](http://www.uniprot.org/citations/16253240)). Deconjugates SUMO1 from HDAC1 and BHLHE40/DEC1, which decreases its transcriptional repression activity (PubMed:[21829689](http://www.uniprot.org/citations/21829689)). Deconjugates SUMO1 from CLOCK, which decreases its transcriptional activation activity (PubMed:[23160374](http://www.uniprot.org/citations/23160374)). Deconjugates SUMO2 from MTA1 (PubMed:[21965678](http://www.uniprot.org/citations/21965678)). Deconjugates SUMO1 from METTL3 (PubMed:[29506078](http://www.uniprot.org/citations/29506078)). Desumoylates CCAR2 which decreases its interaction with SIRT1 (PubMed:[25406032](http://www.uniprot.org/citations/25406032)). Deconjugates SUMO1 from GPS2 (PubMed:[24943844](http://www.uniprot.org/citations/24943844)).

Research Area

Image Data

Product Name: SENP1 (18B5) Rabbit Monoclonal
Antibody
Catalog #: AMRe17723



Western blot analysis of SENP1 expression in U87-MG cell lysate.

Note

For research use only.