

**Product Name: SKP2 (13N4) Rabbit Monoclonal Antibody**  
**Catalog #: AMRe17934**

## Summary

<b>Production Name</b>	SKP2 (13N4) Rabbit Monoclonal Antibody
<b>Description</b>	Rabbit Monoclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,ELISA
<b>Reactivity</b>	Human,Mouse,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	SKP2
<b>Alternative Names</b>	FBL1; FLB1; FBXL1; MGC1366; SKP2;
<b>Gene ID</b>	6502.0
<b>SwissProt ID</b>	Q13309.

## Application

<b>Dilution Ratio</b>	WB 1:500-1:2000
<b>Molecular Weight</b>	48kDa

---

## Background

Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins involved in cell cycle progression, signal transduction and transcription. Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins involved in cell cycle progression, signal transduction and transcription (PubMed:[11931757](http://www.uniprot.org/citations/11931757), PubMed:[12435635](http://www.uniprot.org/citations/12435635), PubMed:[12769844](http://www.uniprot.org/citations/12769844), PubMed:[12840033](http://www.uniprot.org/citations/12840033), PubMed:[15342634](http://www.uniprot.org/citations/15342634), PubMed:[15668399](http://www.uniprot.org/citations/15668399), PubMed:[15949444](http://www.uniprot.org/citations/15949444), PubMed:[16103164](http://www.uniprot.org/citations/16103164), PubMed:[16262255](http://www.uniprot.org/citations/16262255), PubMed:[16581786](http://www.uniprot.org/citations/16581786), PubMed:[16951159](http://www.uniprot.org/citations/16951159), PubMed:[17908926](http://www.uniprot.org/citations/17908926), PubMed:[17962192](http://www.uniprot.org/citations/17962192), PubMed:[22770219](http://www.uniprot.org/citations/22770219), PubMed:[32267835](http://www.uniprot.org/citations/32267835)). Specifically recognizes phosphorylated CDKN1B/p27kip and is involved in regulation of G1/S transition (By similarity). Degradation of CDKN1B/p27kip also requires CKS1. Recognizes target proteins ORC1, CDT1, RBL2, KMT2A/MLL1, CDK9, RAG2, FOXO1, UBP43, YTHDF2, and probably MYC, TOB1 and TAL1 (PubMed:[11931757](http://www.uniprot.org/citations/11931757), PubMed:[12435635](http://www.uniprot.org/citations/12435635), PubMed:[12769844](http://www.uniprot.org/citations/12769844), PubMed:[12840033](http://www.uniprot.org/citations/12840033), PubMed:[15342634](http://www.uniprot.org/citations/15342634), PubMed:[15668399](http://www.uniprot.org/citations/15668399), PubMed:[15949444](http://www.uniprot.org/citations/15949444), PubMed:[16103164](http://www.uniprot.org/citations/16103164), PubMed:[17962192](http://www.uniprot.org/citations/17962192), PubMed:[16581786](http://www.uniprot.org/citations/16581786), PubMed:[16951159](http://www.uniprot.org/citations/16951159), PubMed:[17908926](http://www.uniprot.org/citations/17908926), PubMed:[17962192](http://www.uniprot.org/citations/17962192), PubMed:[22770219](http://www.uniprot.org/citations/22770219), PubMed:[32267835](http://www.uniprot.org/citations/32267835)).


**Product Name: SKP2 (13N4) Rabbit Monoclonal Antibody**  
**Catalog #: AMRe17934**

---

[32267835](http://www.uniprot.org/citations/32267835)). Degradation of TAL1 also requires STUB1 (PubMed: [17962192](http://www.uniprot.org/citations/17962192)). Recognizes CDKN1A in association with CCNE1 or CCNE2 and CDK2 (PubMed: [16262255](http://www.uniprot.org/citations/16262255)). Promotes ubiquitination and destruction of CDH1 in a CK1-dependent manner, thereby regulating cell migration (PubMed: [22770219](http://www.uniprot.org/citations/22770219)).

## Research Area

## Image Data



Western blot analysis of SKP2 expression in (1) Jurkat cell lysate; (2) NIH/3T3 cell lysate.

## Note

For research use only.