Product Name: Trk Rabbit Polyclonal Antibody

Catalog #: APRab00125



Summary

Production Name Trk Rabbit Polyclonal Antibody

Description Primary antibody

Host Rabbit

Application WB,IHC-P,ICC/IF **Reactivity** Human,Mouse,Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide **Buffer**

and 50% glycerol.

Purification Affinity Chromatography

Immunogen

Gene Name NTRK1/NTRK2/NTRK3

gp140trk; GP145-TrkB; GP145-TrkC; MTC; NTRK1; NTRK2; NTRK3; p140-TrkA; TRKA; Alternative Names

TRKB; TrkB tyrosine kinase; TRKC

Gene ID 4914/4916/4915

SwissProt ID P04629/Q16288/Q16620

Application

Dilution Ratio WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

Molecular Weight Calculated MW: 87 kDa; Observed MW: 140 kDa

Product Name: Trk Rabbit Polyclonal Antibody

Catalog #: APRab00125




Background

The family of Trk receptor tyrosine kinases consists of TrkA, TrkB, and TrkC. While the sequence of these family members is highly conserved, they are activated by different neurotrophins: TrkA by NGF, TrkB by BDNF or NT4, and TrkC by NT3. Neurotrophin signaling through these receptors regulates a number of physiological processes, such as cell survival, proliferation, neural development, and axon and dendrite growth and patterning.


Research Area

Neuroscience

Image Data



Western blot analysis of TrkA+B+C in Human fetal brain lysates using Trk antibody.




Immunohistochemistry analysis of paraffin-embedded mouse brain using TrkA+B+C antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Trk Rabbit Polyclonal Antibody

Catalog #: APRab00125





Immunofluorescence analysis of Trk in Neuro2a using TrkA+B+C antibody.

Note

For research use only.