

# Summary

| Production Name | CXCR6 Rabbit Polyclonal Antibody |
|-----------------|----------------------------------|
| Description     | Primary antibody                 |
| Host            | Rabbit                           |
| Application     | WB,IHC-P,ELISA                   |
| Reactivity      | Human                            |

### Performance

| Conjugation  | Unconjugated   |
|--------------|--|
| Modification | Unmodified   |
| lsotype      | lgG  |
| Clonality    | Polyclonal Antibody  |
| Form         | Liquid   |
| Storage      | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw |
|              | cycles.  |
| Buffer       | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.  |
| Purification | Affinity Purified  |

#### Immunogen

| Gene Name         | CXCR6  |
|-------------------|--|
|                   | CXCR6; BONZO; STRL33; TYMSTR; C-X-C chemokine receptor type 6; CXC-R6; CXCR-6; |
| Alternative Names | CDw186; G-protein coupled receptor STRL33; G-protein coupled receptor bonzo;   |
|                   | CD186  |
| Gene ID           | 10663  |
| SwissProt ID      | O00574   |

# Application

| Dilution Ratio   | WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000 |
|------------------|---|
| Molecular Weight | Calculated MW: 39 kDa; Observed MW: 39 kDa      |




## Background

Receptor for the C-X-C chemokine CXCL16.


## **Research Area**

Microbiology

# Image Data




Western blot analysis of CXCR6 in HeLa lysates using CXCR6 antibody.



Immunohistochemistry analysis of paraffin-embedded Human pancreas using CXCR6 antibody.High-pressure and


temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human pancreas using CXCR6 antibody. High-pressure and




temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human spleen using CXCR6 antibody.High-pressure and temperature

Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human spleen using CXCR6 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

## Note

For research use only.