Product Name: Ubiquitin Conjugating Enzyme E2 A/B

Rabbit Polyclonal Antibody Catalog #: APRab00483



Summary

Production Name Ubiquitin Conjugating Enzyme E2 A/B Rabbit Polyclonal Antibody

Description Primary antibody

Host Rabbit

Application WB,IHC-P,ELISA **Reactivity** Human,Mouse,Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Purification Affinity Purified

Immunogen

Gene Name UBE2A/UBE2B

UBE2A; RAD6A; Ubiquitin-conjugating enzyme E2 A; RAD6 homolog A; HR6A; hHR6A;

Ubiquitin carrier protein A; Ubiquitin-protein ligase A; UBE2B; RAD6B; Ubiquitin-Alternative Names

conjugating enzyme E2 B; RAD6 homolog B; HR6B; hHR6B; Ubiquitin carrier protein B;

Ubiquitin-conjugating enzyme E2-17 kDa; Ubiquitin-protein ligase B

Gene ID 7319/7320

SwissProt ID P49459/P63146

Application

Dilution Ratio WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000

Molecular Weight Calculated MW: 17 kDa; Observed MW: 17 kDa

Catalog #: APRab00483




Background

Accepts ubiquitin from the E1 complex and catalyzes its covalent attachment to other proteins. In association with the E3 enzyme BRE1 (RNF20 and/or RNF40), it plays a role in transcription regulation by catalyzing the monoubiquitination of histone H2B at 'Lys-120' to form H2BK120ub1. H2BK120ub1 gives a specific tag for epigenetic transcriptional activation, elongation by RNA polymerase II, telomeric silencing, and is also a prerequisite for H3K4me and H3K79me formation.


Research Area

Epigenetics and Nuclear Signaling

Image Data



Western blot analysis of Ubiquitin Conjugating Enzyme E2 A/B in Jurkat lysates using UBE2A/B antibody.




Immunohistochemistry analysis of paraffin-embedded rat brain using Ubiquitin Conjugating Enzyme E2 A/B antibody. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Catalog #: APRab00483





Immunohistochemistry analysis of paraffin-embedded rat brain using Ubiquitin Conjugating Enzyme E2 A/B antibody. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded mouse brain using Ubiquitin Conjugating Enzyme E2 A/B antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.