

Summary

Production Name	Phospho-RSK1 p90 (Thr359/Ser363) Rabbit Polyclonal Antibody	
Description	Primary antibody	
Host	Rabbit	
Application	WB,IHC-P,ICC/IF,IP	
Reactivity	Human,Mouse,Rat	

Performance

Conjugation	Unconjugated	
Modification	Phosphorylated	
lsotype	lgG	
Clonality	Polyclonal Antibody	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide	
	and 50% glycerol.	
Purification	Affinity Chromatography	

Immunogen

Gene Name	RPS6KA1
	RPS6KA1; MAPKAPK1A; RSK1; Ribosomal protein S6 kinase alpha-1; S6K-alpha-1; 90
Alternative Names	kDa ribosomal protein S6 kinase 1; p90-RSK 1; p90RSK1; p90S6K; MAP kinase-activated
	protein kinase 1a; MAPK-activated protein kinase 1a; MAPKAP kinase 1a; MAPKAP
Gene ID	6195
SwissProt ID	Q15418

Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20
Molecular Weight	Calculated MW: 83 kDa; Observed MW: 90 kDa




Background

Rsk1 is a member of a family of 90kDa ribosomal protein S6 kinases, which includes Rsk1, Rsk2 and Rsk3. These are broadly expressed serine / threonine protein kinases activated in response to mitogenic stimuli, including extracellular signal regulated protein kinases Erk1 and Erk2. Rsk1 is activated by MAPK in vitro and in vivo via phosphorylation. Active Rsks appear to play a major role in transcriptional regulation by translocating to the nucleus and phosphorylating c-Fos and CREB.

Research Area

Signal Transduction

Image Data



Western blot analysis of RSK 1 p90 Phosphorylation in K562 lysates treated with EGF using Phospho-RSK1 p90 (Thr359/Ser363) antibody.

Note

For research use only.