**Rabbit Polyclonal Antibody** Catalog #: APRab00934



# Summary

Phospho-IKK alpha/beta (Ser176/Ser177) Rabbit Polyclonal Antibody **Production Name** 

Description Primary antibody

Host Rabbit **Application** WB

Reactivity Human, Mouse, Rat

### **Performance**

Conjugation Unconjugated Modification Phosphorylated

Isotype IgG

Clonality Polyclonal Antibody

**Form** Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification Affinity Purified** 

## **Immunogen**

Gene Name CHUK

CHUK; IKKA; TCF16; Inhibitor of nuclear factor kappa-B kinase subunit alpha; I-kappa-B

**Alternative Names** kinase alpha; IKK-A; IKK-alpha; IkBKA; IkappaB kinase; Conserved helix-loop-helix

ubiquitous kinase; I-kappa-B kinase 1; IKK1; Nuclear factor NF-kappa-B

Gene ID 1147 SwissProt ID 015111

# **Application**

**Dilution Ratio** WB: 1/500-1/1000

**Molecular Weight** Calculated MW: 85 kDa; Observed MW: 85 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

**Rabbit Polyclonal Antibody** Catalog #: APRab00934




# **Background**

Plays an essential role in the NF-kappa-B signaling pathway which is activated by multiple stimuli such as inflammatory cytokines, bacterial or viral products, DNA damages or other cellular stresses. Activation of IKK depends upon phosphorylation at Ser177 and Ser181 in the activation loop of IKKβ (Ser176 and Ser180 in IKKα), which causes conformational changes, resulting in kinase activation.

### Research Area

Signal Transduction

# **Image Data**



Western blot analysis of Phospho-IKK alpha/beta (Ser176/Ser177) in 3T3 lysates using Phospho-IKK alpha/beta (Ser176/Ser177) antibody.

## **Note**

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838