

Summary

en Receptor alpha Rabbit Polyclonal Antibody
y antibody
C-P,FC,IP,ChIP
ı

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	IgG	
Clonality	Polyclonal Antibody	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05%	
bullet	BSA	
Purification	Affinity Purified	

Immunogen

Gene Name	ESR1	
Alternative Names	ESR1; Era; Eralpha; Estrogen receptor; Estradiol receptor; ER-alpha; Estrogen receptor 1;	
	NR3A1; ER; ESR; ESRA; Estrogen receptor alpha	
Gene ID	2099	
SwissProt ID	P03372	

Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20 FC: 1/50-1/100 ChIP: 1/20
Molecular Weight	Calculated MW: 66 kDa; Observed MW: 66 kDa




Background

ER (estrogen receptor 1) a member of the steroid receptor superfamily, contains highly conserved DNA binding (DBD) and ligand binding domains (LBD). Through its estrogen-independent and estrogen-dependent activation domains (AF-1 and AF-2, respectively), ER regulates transcription by recruiting coactivator proteins and interacting with general transcriptional machinery. Phosphorylation provides an important mechanism to regulate ER activity. ER is phosphorylated on multiple sites.


Research Area

Signal Transduction

Image Data



Western blot analysis of Estrogen Receptor α in MCF-7 lysates using Estrogen Receptor alpha antibody.



Immunohistochemistry analysis of paraffin-embedded Human breast cancer using Estrogen Receptor alpha antibody.Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note For research use only.

