Product Name: IFN-α/βRα (phospho Tyr466) Rabbit

Polyclonal Antibody Catalog #: APRab04813



Summary

Production Name IFN- $\alpha/\beta R\alpha$ (phospho Tyr466) Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application IHC,ELISA

Reactivity Human, Rat, Mouse

Performance

Conjugation Unconjugated

Modification Phospho Antibody

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name IFNAR1

IFNAR1; IFNAR; Interferon alpha/beta receptor 1; IFN-R-1; IFN-alpha/beta receptor 1;

Alternative Names Cytokine receptor class-II member 1; Cytokine receptor family 2 member 1; CRF2-1;

Type I interferon receptor 1

Gene ID 3454.0

P17181.The antiserum was produced against synthesized peptide derived from human

SwissProt ID Interferon-alpha/beta Receptor alpha around the phosphorylation site of Tyr466. AA

range:436-485

Application

Dilution Ratio IHC 1:100 - 1:300. ELISA: 1:10000...

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: IFN-α/βRα (phospho Tyr466) Rabbit

Polyclonal Antibody Catalog #: APRab04813



Molecular Weight 63kD


Background

The protein encoded by this gene is a type I membrane protein that forms one of the two chains of a receptor for interferons alpha and beta. Binding and activation of the receptor stimulates Janus protein kinases, which in turn phosphorylate several proteins, including STAT1 and STAT2. The encoded protein also functions as an antiviral factor. [provided by RefSeq, Jul 2008], function:Receptor for interferons alpha and beta. Binding to type I IFNs triggers tyrosine phosphorylation of a number of proteins including JAKs, TYK2, STAT proteins and IFNR alpha- and beta-subunits themselves.,PTM:Phosphorylated on tyrosine residues by TYK2 tyrosine kinase.,sequence caution:Contaminating sequence. Potential poly-A sequence.,similarity:Belongs to the type II cytokine receptor family.,similarity:Contains 3 fibronectin type-III domains.,tissue specificity:IFN receptors are present in all tissues and even on the surface of most IFN-resistant cells. Isoform 1, isoform 2 and isoform 3 are expressed in the IFN-alpha sensitive myeloma cell line U266S. Isoform 2 and isoform 3 are expressed in the IFN-alpha resistant myeloma cell line U266R, isoform 1 is not expressed in U266R.,

Research Area

Cytokine-cytokine receptor interaction; Toll Like; Jak STAT; Natural killer cell mediated cytotoxicity;

Image Data




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Interferon-alpha/beta Receptor alpha (Phospho-Tyr466) Antibody

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: IFN-α/βRα (phospho Tyr466) Rabbit

Polyclonal Antibody Catalog #: APRab04813





Immunohistochemistry analysis of paraffin-embedded human brain, using Interferon-alpha/beta Receptor alpha (Phospho-Tyr466) Antibody. The picture on the right is blocked with the phospho peptide.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838