Product Name: Krs-1/2 (phospho Thr183) Rabbit

Polyclonal Antibody Catalog #: APRab04925



Summary

Production Name Krs-1/2 (phospho Thr183) Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application ELISA,IHC,WB, **Reactivity** Human,Mouse

Performance

Conjugation Unconjugated

Modification Phospho Antibody

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name STK3/STK4

STK3; KRS1; MST2; Serine/threonine-protein kinase 3; Mammalian STE20-like protein

Alternative Names kinase 2; MST-2; STE20-like kinase MST2; Serine/threonine-protein kinase Krs-1; STK4;

KRS2; MST1; Serine/threonine-protein kinase 4; Mammalian STE20-like prot

Gene ID 6789.0

Q13188/Q13043.The antiserum was produced against synthesized peptide derived SwissProt ID

from human Mst1/2 around the phosphorylation site of Thr183. AA range:149-198

Application

Dilution Ratio WB 1:500 - 1:2000 IHC 1:100 - 1:300. ELISA: 1:40000...

Molecular Weight 60kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Krs-1/2 (phospho Thr183) Rabbit

Polyclonal Antibody Catalog #: APRab04925




Background

serine/threonine kinase 3(STK3) Homo sapiens This gene encodes a serine/threonine protein kinase activated by proapoptotic molecules indicating the encoded protein functions as a growth suppressor. Cleavage of the protein product by caspase removes the inhibitory C-terminal portion. The N-terminal portion is transported to the nucleus where it homodimerizes to form the active kinase which promotes the condensation of chromatin during apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2012],catalytic activity:ATP + a protein = ADP + a phosphoprotein,,cofactor:Magnesium,,enzyme regulation:Inhibited by the C-terminal non-catalytic region. Activated by caspase-cleavage. Full activation also requires homodimerization and autophosphorylation of Thr-180, which are inhibited by the proto-oncogene product RAF1., function: Stress-activated, proapoptotic kinase which, following caspase-cleavage, enters the nucleus and induces chromatin condensation followed by internucleosomal DNA fragmentation. Phosphorylates NKX2-1 (By similarity). Phosphorylates and activates LATS1 and LATS2., similarity: Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. STE20 subfamily, similarity: Contains 1 protein kinase domain, similarity: Contains 1 SARAH domain, subcellular location: The caspase-cleaved form cycles between nucleus and cytoplasm., subunit: Homodimer; mediated via the coiled-coil region. Interacts with NORE1, which inhibits autoactivation (By similarity). Interacts with and stabilizes SAV1. Interacts with RAF1, which prevents dimerization and phosphorylation. Interacts with RASSF1, which leads to enzyme activation., tissue specificity: Expressed at high levels in adult kidney, skeletal and placenta tissues and at very low levels in adult heart, lung and brain tissues.,

Research Area

MAPK ERK Growth; MAPK G Protein;

Image Data



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Krs-1/2 (phospho Thr183) Rabbit


Polyclonal Antibody Catalog #: APRab04925



Phosphopeptide (Phospho-right), using Mst1/2 (Phospho-Thr183) Antibody




Immunohistochemistry analysis of paraffin-embedded human brain, using Mst1/2 (Phospho-Thr183) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from 293 cells treated with H2O2 100uM 15 ', using Mst1/2 (Phospho-Thr183) Antibody.

The lane on the right is blocked with the phospho peptide.



Western Blot analysis of 293 cells using Phospho-Krs-1/2 (T183) Polyclonal Antibody

Note

For research use only.