

Summary

PCAF (Acetyl Lys428) Rabbit Polyclonal Antibody
Rabbit Polyclonal Antibody
Rabbit
WB
Human,Mouse

Performance

Conjugation	Unconjugated
Modification	Acetyl Antibody
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	KAT2B
Alternative Names	KAT2B; PCAF; Histone acetyltransferase KAT2B; Histone acetyltransferase PCAF;
	Histone acetylase PCAF; Lysine acetyltransferase 2B; P300/CBP-associated factor;
	P/CAF
Gene ID	8850.0
SwissProt ID	Q92831.Synthesized acetyl-peptide derived from the human PCAF around the
	acetylation site of K428.

Application

Dilution Ratio	WB 1:500-2000
Molecular Weight	93kD




Background

CBP and p300 are large nuclear proteins that bind to many sequence-specific factors involved in cell growth and/or differentiation, including c-jun and the adenoviral oncoprotein E1A. The protein encoded by this gene associates with p300/CBP. It has in vitro and in vivo binding activity with CBP and p300, and competes with E1A for binding sites in p300/CBP. It has histone acetyl transferase activity with core histones and nucleosome core particles, indicating that this protein plays a direct role in transcriptional regulation. [provided by RefSeq, Jul 2008], chromatin organization, chromatin remodeling, transcription, regulation of transcription, DNA-dependent, protein amino acid acetylation, N-terminal protein amino acid acetylation, cell cycle, cell cycle arrest, negative regulation of cell proliferation, response to endogenous stimulus, response to hormone stimulus, response to organic substance, chromatin modification, covalent chromatin modification, histone modification, histone acetylation, N-terminal peptidyl-lysine acetylation, peptidyl-lysine modification, peptidyl-lysine acetylation, cell cycle process, N-terminal protein amino acid modification, response to insulin stimulus, cellular response to insulin stimulus, cellular response to hormone stimulus, regulation of cell proliferation, response to peptide hormone stimulus, protein amino acid acylation, regulation of transcription, regulation of RNA metabolic process, chromosome organization,

Research Area


Notch;

Image Data



Western Blot analysis of HepG2 cells using Acetyl-PCAF (K428) Polyclonal Antibody.. Secondary antibody was diluted at 1:20000





Note

For research use only.