

Summary

| APOBEC3A Rabbit Polyclonal Antibody |
|-------------------------------------|
| Rabbit Polyclonal Antibody |
| Rabbit |
| WB,ELISA |
| Human,Rat,Mouse |
| |

Performance

| Conjugation | Unconjugated | |
|--------------|--|--|
| Modification | Unmodified | |
| lsotype | lgG | |
| Clonality | Polyclonal | |
| Form | Liquid | |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw | |
| | cycles. | |
| Buffer | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N. | |
| Purification | Affinity purification | |

Immunogen

| Gene Name | APOBEC3A | |
|-------------------|--|--|
| Alternative Names | APOBEC3A; Probable DNA dC->dU-editing enzyme APOBEC-3A; Phorbolin-1 | |
| Gene ID | 200315.0 | |
| SwissProt ID | P31941.The antiserum was produced against synthesized peptide derived from human | |
| | APOBEC3A. AA range:27-76 | |

Application

| Dilution Ratio | WB 1:500 - 1:2000. ELISA: 1:10000 |
|------------------|-----------------------------------|
| Molecular Weight | 26kD |


Background

This gene is a member of the cytidine deaminase gene family. It is one of seven related genes or pseudogenes found in a cluster, thought to result from gene duplication, on chromosome 22. Members of the cluster encode proteins that are structurally and functionally related to the C to U RNA-editing cytidine deaminase APOBEC1. The protein encoded by this gene lacks the zinc binding activity of other family members. The protein plays a role in immunity, by restricting transmission of foreign DNA such as viruses. One mechanism of foreign DNA restriction is deamination of foreign double-stranded DNA cytidines to uridines, which leads to DNA degradation. However, other mechanisms are also thought to be involved, as anti-viral effect is not dependent on deaminase activity. Two transcript variants encoding different isoforms have been found for this gene. [provided bcofactor:Zinc.,function:Lacks cytidine deaminase activity, at least on RNA molecules (monomeric nucleoside substrates or synthetic apoB RNA template). Unable to reduce HIV-1 infectivity in vitro.,miscellaneous:It is one of seven related genes or pseudogenes found in a cluster, thought to result from gene duplication, on chromosome 22.,similarity:Belongs to the cytidine and deoxycytidylate deaminase family.,tissue specificity:Expressed in peripherical leukocytes and keratinocytes.,

Ci EnkiLife

Research Area





Western blot analysis of lysates from Jurkat cells, using APOBEC3A Antibody. The lane on the right is blocked with the synthesized peptide.

Jurkat 138---70---35---25--- АРОВЕСЗА 15---

Product Name: APOBEC3A Rabbit Polyclonal Antibody Catalog #: APRab07023



Western Blot analysis of Jurkat cells using APOBEC3A Polyclonal Antibody

Note

For research use only.