

Summary

| Production Name | ATF-5 Rabbit Polyclonal Antibody |
|-----------------|----------------------------------|
| Description | Rabbit Polyclonal Antibody |
| Host | Rabbit |
| Application | WB,ELISA |
| Reactivity | Human,Mouse,Rat |

Performance

| Conjugation | Unconjugated |
|--------------|--|
| Modification | Unmodified |
| lsotype | lgG |
| Clonality | Polyclonal |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw |
| | cycles. |
| Buffer | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N. |
| Purification | Affinity purification |

Immunogen

| Gene Name | ATF5 |
|-------------------|--|
| Alternative Names | ATF5; ATFX; Cyclic AMP-dependent transcription factor ATF-5; cAMP-dependent |
| | transcription factor ATF-5; Activating transcription factor 5; Transcription factor ATFx |
| Gene ID | 22809.0 |
| SwissProt ID | Q9Y2D1.The antiserum was produced against synthesized peptide derived from human |
| | ATF5. AA range:221-270 |

Application


| Dilution Ratio | WB 1:500 - 1:2000. ELISA: 1:5000 |
|------------------|----------------------------------|
| Molecular Weight | 31kD |




Background

Research Area

Image Data



Western blot analysis of lysates from Jurkat cells, using ATF5 Antibody. The lane on the right is blocked with the synthesized







Note

For research use only.