Product Name: CPE Rabbit Polyclonal Antibody

Catalog #: APRab09309



Summary

Production Name CPE Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application WB,IHC,ELISA **Reactivity** Human,Mouse,Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Storage

Gene Name CPE

CPE; Carboxypeptidase E; CPE; Carboxypeptidase H; CPH; Enkephalin convertase;

Prohormone-processing carboxypeptidase

Gene ID 1363.0

P16870.The antiserum was produced against synthesized peptide derived from the C-SwissProt ID

terminal region of human CPE. AA range:427-476

Application

Dilution Ratio WB 1:500 - 1:2000. IHC-p: 1:100-300 ELISA: 1:20000...

Molecular Weight 53kD

Product Name: CPE Rabbit Polyclonal Antibody

Catalog #: APRab09309




Background

carboxypeptidase E(CPE) Homo sapiens This gene encodes a member of the M14 family of metallocarboxypeptidases. The encoded preproprotein is proteolytically processed to generate the mature peptidase. This peripheral membrane protein cleaves C-terminal amino acid residues and is involved in the biosynthesis of peptide hormones and neurotransmitters, including insulin. This protein may also function independently of its peptidase activity, as a neurotrophic factor that promotes neuronal survival, and as a sorting receptor that binds to regulated secretory pathway proteins, including prohormones. Mutations in this gene are implicated in type 2 diabetes. [provided by RefSeq, Nov 2015],catalytic activity:Release of C-terminal arginine or lysine residues from polypeptides.,cofactor:Binds 1 zinc ion per subunit.,function:Removes residual C-terminal Arg or Lys remaining after initial endoprotease cleavage during prohormone processing. Processes proinsulin.,similarity:Belongs to the peptidase M14 family.,subcellular location:Secretory granules of pancreatic islets, adrenal gland, pituitary and brain.,


Research Area

Type I diabetes mellitus;

Image Data



Western blot analysis of lysate from mouse brain cells, using CPE Antibody.




Western Blot analysis of mouse brain cells using CPE Polyclonal Antibody.. Secondary antibody was diluted at 1:20000

Product Name: CPE Rabbit Polyclonal Antibody

Catalog #: APRab09309





Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100

Note

For research use only.