

## Summary

Production Name	Olfactory receptor 2L5 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	IF,WB,
Reactivity	Human,Rat,Mouse
Reactivity	Tuman, Rat, Mouse

#### Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	IgG	
Clonality	Polyclonal	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.	
Purification	Affinity purification	

#### Immunogen

Gene Name	OR2L5	
Alternative Names	OR2L5; OR2L11; Olfactory receptor 2L5; Olfactory receptor 2L11; Olfactory receptor	
	OR1-53	
Gene ID	81466.0	
SwissProt ID	Q8NG80.The antiserum was produced against synthesized peptide derived from	
	human OR2L5. AA range:241-290	

# Application

Dilution Ratio	WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other
	applications.




**Molecular Weight** 40kD

#### Background


olfactory receptor family 2 subfamily L member 5(OR2L5) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,

### **Research Area**

#### **Image Data**




Immunofluorescence analysis of A549 cells, using OR2L5 Antibody. The picture on the right is blocked with the synthesized






Western blot analysis of lysates from COLO cells, using OR2L5 Antibody. The lane on the right is blocked with the



Western blot analysis of the lysates from RAW264.7 cells using OR2L5 antibody.



Western Blot analysis of various cells using Olfactory receptor 2L5 Polyclonal Antibody

#### Note

For research use only.