

**Product Name:** Olfactory receptor 4Q3 Rabbit Polyclonal Antibody  
**Catalog #:** APRab15237

---

## Summary

|                        |   |
|------------------------|---|
| <b>Production Name</b> | Olfactory receptor 4Q3 Rabbit Polyclonal Antibody |
| <b>Description</b>     | Rabbit Polyclonal Antibody                        |
| <b>Host</b>            | Rabbit  |
| <b>Application</b>     | IF, WB,   |
| <b>Reactivity</b>      | Human, Rat, Mouse                                 |

## Performance

|                     |  |
|---------------------|--|
| <b>Conjugation</b>  | Unconjugated   |
| <b>Modification</b> | Unmodified   |
| <b>Isotype</b>      | IgG  |
| <b>Clonality</b>    | Polyclonal   |
| <b>Form</b>         | Liquid   |
| <b>Storage</b>      | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |
| <b>Buffer</b>       | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.       |
| <b>Purification</b> | Affinity purification  |

## Immunogen

|                          |  |
|--------------------------|--|
| <b>Gene Name</b>         | OR4Q3  |
| <b>Alternative Names</b> | OR4Q3; C14orf13; OR4Q4; Olfactory receptor 4Q3; Olfactory receptor 4Q4; Olfactory receptor OR14-3          |
| <b>Gene ID</b>           | 441669.0   |
| <b>SwissProt ID</b>      | Q8NH05. The antiserum was produced against synthesized peptide derived from human OR4Q3. AA range: 264-313 |

## Application

|                       |   |
|-----------------------|---|
| <b>Dilution Ratio</b> | WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other applications. |
|-----------------------|---|

**Product Name: Olfactory receptor 4Q3 Rabbit Polyclonal Antibody**  
**Catalog #: AP Rab15237**

**Molecular Weight** 38kD


## Background

olfactory receptor family 4 subfamily Q member 3(OR4Q3) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor „similarity:Belongs to the G-protein coupled receptor 1 family.,


## Research Area

Olfactory transduction;

## Image Data




Immunofluorescence analysis of A549 cells, using OR4Q3 Antibody. The picture on the right is blocked with the synthesized




**Product Name: Olfactory receptor 4Q3 Rabbit Polyclonal Antibody**  
**Catalog #: APRab15237**

---

Western blot analysis of lysates from HeLa, Jurkat, and HepG2 cells, using OR4Q3 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from 293 cells using OR4Q3 antibody.



Western Blot analysis of various cells using Olfactory receptor 4Q3 Polyclonal Antibody diluted at 1 : 1000

## Note

For research use only.