

Product Name: Olfactory receptor 6Q1 Rabbit Polyclonal Antibody
Catalog #: APRab15314

Summary

Production Name	Olfactory receptor 6Q1 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	OR6Q1
Alternative Names	OR6Q1; Olfactory receptor 6Q1; Olfactory receptor OR11-226
Gene ID	219952.0
SwissProt ID	Q8NGQ2.The antiserum was produced against synthesized peptide derived from human OR6Q1. AA range:23-72

Application

Dilution Ratio	WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.
Molecular Weight	36kD

Product Name: Olfactory receptor 6Q1 Rabbit Polyclonal Antibody
Catalog #: APRab15314


Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a functionless odorant receptor. Polymorphism: A single nucleotide deletion at position Leu-229 in the gene coding for this protein is responsible for functional diversity thus producing a pseudogene. The deletion is more frequent in African-Americans than in non-Africans. Similarity: Belongs to the G-protein coupled receptor 1 family.

Research Area


Olfactory transduction;

Image Data




Western blot analysis of lysates from Jurkat and HT-29 cells, using OR6Q1 Antibody. The lane on the right is blocked with the synthesized peptide.

Product Name: Olfactory receptor 6Q1 Rabbit Polyclonal Antibody
Catalog #: APRab15314



Western blot analysis of the lysates from HT-29 cells using OR6Q1 antibody.



Western Blot analysis of Jurkat cells using Olfactory receptor 6Q1 Polyclonal Antibody diluted at 1: 1000

Note

For research use only.