## **Product Name: SLC43A1 Rabbit Polyclonal Antibody**

Catalog #: APRab17958



#### **Summary**

Production Name SLC43A1 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

**Reactivity** Human,Rat,Mouse

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Gene Name SLC43A1

SLC43A1; LAT3; PB39; POV1; Large neutral amino acids transporter small subunit 3; L-

Alternative Names type amino acid transporter 3; Prostate cancer overexpressed gene 1 protein; Solute

carrier family 43 member 1

Gene ID 8501.0

O75387.The antiserum was produced against synthesized peptide derived from human SwissProt ID

LAT3. AA range:231-280

### **Application**

**Dilution Ratio** WB 1:500-2000 ELISA 2000-20000

Molecular Weight 61kD

# **Product Name: SLC43A1 Rabbit Polyclonal Antibody**

Catalog #: APRab17958




### **Background**


SLC43A1 belongs to the system L family of plasma membrane carrier proteins that transports large neutral amino acids (Babu et al., 2003 [PubMed 12930836]). [supplied by OMIM, Mar 2008], function: Sodium-independent, high affinity transport of large neutral amino acids. Has narrower substrate selectivity compared to SLC7A5 and SLC7A8 and mainly transports branched-chain amino acids and phenylalanine. Plays a role in the development of human prostate cancer, from prostatic intraepithelial neoplasia to invasive prostate cancer., miscellaneous: Up-regulated in early prostate cancer development with highest expression level in seminomas of testicular germ cell tumors., similarity: Belongs to the SLC43A transporter (TC 2.A.1.44) family., tissue specificity: In adults, found in all tissues examined with highest expression in pancreas. In fetus, highest expression in liver and lower levels in kidney, and lung. High levels found in prostate cancer cells.,

#### **Research Area**

### **Image Data**



Western blot analysis of lysates from A549 and Jurkat cells, using LAT3 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using SLC43A1 Polyclonal Antibody

# **Product Name: SLC43A1 Rabbit Polyclonal Antibody**

Catalog #: APRab17958



#### Note

For research use only.