

**Product Name: ZNF262 Rabbit Polyclonal Antibody**  
**Catalog #: APRab20256**



## Summary

|                        |                                   |
|------------------------|-----------------------------------|
| <b>Production Name</b> | ZNF262 Rabbit Polyclonal Antibody |
| <b>Description</b>     | Rabbit Polyclonal Antibody        |
| <b>Host</b>            | Rabbit                            |
| <b>Application</b>     | WB,IHC,ELISA                      |
| <b>Reactivity</b>      | Human,Mouse                       |

## Performance

|                     |  |
|---------------------|--|
| <b>Conjugation</b>  | Unconjugated   |
| <b>Modification</b> | Unmodified   |
| <b>Isotype</b>      | IgG  |
| <b>Clonality</b>    | Polyclonal   |
| <b>Form</b>         | Liquid   |
| <b>Storage</b>      | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |
| <b>Buffer</b>       | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.       |
| <b>Purification</b> | Affinity purification  |

## Immunogen

|                          |  |
|--------------------------|--|
| <b>Gene Name</b>         | ZMYM4  |
| <b>Alternative Names</b> | ZMYM4; KIAA0425; ZNF262; Zinc finger MYM-type protein 4; Zinc finger protein 262                         |
| <b>Gene ID</b>           | 9202.0   |
| <b>SwissProt ID</b>      | Q5VZL5.The antiserum was produced against synthesized peptide derived from human ZMYM4. AA range:801-850 |

## Application

|                         |  |
|-------------------------|--|
| <b>Dilution Ratio</b>   | WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:10000.. |
| <b>Molecular Weight</b> | 175kD  |

## Background


**Product Name: ZNF262 Rabbit Polyclonal Antibody**  
**Catalog #: APRab20256**



miscellaneous:The 3'-UTR region of the mRNA encoding this protein contains a motif called CDIR (for cell death inhibiting RNA) that binds HNRPD/AUF1 and HSPB1/HSP27. It is able to inhibit interferon-gamma induced apoptosis.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 9 MYM-type zinc fingers.,tissue specificity:Expressed at higher level in heart, skeletal muscle, kidney and liver.,miscellaneous:The 3'-UTR region of the mRNA encoding this protein contains a motif called CDIR (for cell death inhibiting RNA) that binds HNRPD/AUF1 and HSPB1/HSP27. It is able to inhibit interferon-gamma induced apoptosis.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 9 MYM-type zinc fingers.,tissue specificity:Expressed at higher level in heart, skeletal muscle, kidney and liver.,

## Research Area

## Image Data



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using ZMYM4 Antibody. The picture on the right is blocked with the synthesized peptide.



Western Blot analysis of HEK293 lysis, using primary antibody at 1:1000 dilution. Secondary antibody was diluted at 1:10000

**Product Name: ZNF262 Rabbit Polyclonal Antibody**  
**Catalog #: APRab20256**

---



**Note**

For research use only.