Product Name: Recombinant Human ANXA2

Catalog #: PEH0071



Summary

Name Annexin A2/ANXA2

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Annexin A2 is produced by our E.coli expression system

and the target gene encoding Ser2-Asp339 is expressed.

Accession # P07355

Host E.coli

Species Human

Predicted Molecular Mass 38.6 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM Histidine-HCl, 6% Sucrose,

4% Mannitol, 0.05%Tween 80, pH 5.5.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Lyophilized protein should be stored at ≤ -20°C, stable for one year after receipt.

Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at \leq -20°C for 3 months.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.


SDS-PAGE image

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Recombinant Human ANXA2

Catalog #: PEH0071





Alternative Names

Annexin A2; Annexin II; Annexin-2; Calpactin I Heavy Chain; Calpactin-1 Heavy Chain; Chromobindin-8; Lipocortin II; Placental Anticoagulant Protein IV; PAP-IV; Protein I; p36; ANXA2; ANX2; ANX2L4; CAL1H; LPC2D

Background

Annexin A2 (ANXA2) is a member of the annexin family and has roles in the regulation of cellular growth and in signal transduction pathways. ANXA2 protein is associated with sickle cell osteonecrosis and the expression reduce of ANXA2 is associated with osteosarcoma metastases. ANXA2 functions as an autocrine factor, it can increases osteoclast formation and bone resorption. ANXA2 is involved in muscular dystrophies. In humans, the up-regulation of ANXA2 is related with colon adenocarcinoma cell differentiation.

Note

For Research Use Only , Not for Diagnostic Use.