# EnkiLife Product Name: Recombinant Human ATG10 (C-6His, N-T7 tag) Catalog #: PEH0109

## **Summary**

ATG10/Ubiquitin-like-conjugating enzyme ATG10 Name

**Purity** Greater than 95% as determined by reducing SDS-PAGE

<1 EU/µg as determined by LAL test. **Endotoxin level** 

Human

Construction Recombinant Human Autophagy Related 10 Homolog is produced by our

E.coli expression system and the target gene encoding Met1-Thr190 is

expressed with a T7 tag at the N-terminus, 6His tag at the C-terminus.

Accession # **Q9H0Y0** 

Host E.coli

**Species** 

**Predicted Molecular Mass** 24.5 KDa

**Formulation** Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 8% Sucrose, 20%

Glycerol, 0.02% Tween 80, 3mM TCEP, pH 8.5.

The product is shipped on dry ice/polar packs. Upon receipt, store it immediately **Shipping** 

at the temperature listed below.

Stability&Storage Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw


cycles.

Reconstitution

**SDS-PAGE** image

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





### **Alternative Names**

Ubiquitin-Like-Conjugating Enzyme ATG10; Autophagy-Related Protein 10; APG10-Like; ATG10

## **Background**

Ubiquitin-Like-Conjugating Enzyme ATG10 (ATG10) is a ubiquitous 28kDa member of the ATG10 family protein. ATG10 acts as an E2-like enzyme, catalyzes the transfer of ATG12 to ATG5 during in the initial stages of autophagesome formation. The heterodimer of ATG5 and ATG12 subsequntly associates non-covalently with an ATG16 multimer to generate an antophagosome. ATG10 plays a role in the conjugation of ATG12 to ATG5 by interaction with MAP1LC3A. In addition, ATG10 can diretly interact with ATG5 or ATG7.

#### Note

For Research Use Only, Not for Diagnostic Use.