

**Product Name: Recombinant Human TRAIL**  
**Catalog #: PEH1698**




---

## Summary

<b>Name</b>	TNFSF10/TRAIL/APO-2L
<b>Purity</b>	Greater than 95% as determined by reducing SDS-PAGE
<b>Endotoxin level</b>	<1 EU/μg as determined by LAL test.
<b>Construction</b>	Recombinant Human TNF-Related Apoptosis-Inducing Ligand is produced by our E.coli expression system and the target gene encoding Arg115-Gly281 is expressed.
<b>Accession #</b>	P50591
<b>Host</b>	E.coli
<b>Species</b>	Human
<b>Predicted Molecular Mass</b>	19.5 KDa
<b>Formulation</b>	Supplied as a 0.2 μm filtered solution of 40mM Tris-HCl, 300mM NaCl, 5%Trehalose, 5%Mannitol, 0.01%Tween80, 10%Glycerol, pH7.0.
<b>Shipping</b>	The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.
<b>Stability&amp;Storage</b>	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
<b>Reconstitution</b>	

## SDS-PAGE image

**Product Name: Recombinant Human TRAIL**  
**Catalog #: PEH1698**



### **Alternative Names**

Tumor Necrosis Factor Ligand Superfamily Member 10; Apo-2 Ligand; Apo-2L; TNF-Related Apoptosis-Inducing Ligand; Protein TRAIL; CD253; TNFSF10; APO2L; TRAIL

### **Background**

Human TNFSF10 is a type II transmembrane protein with an intracellular N-terminus and a 'TNF homology domain' (THD) at the extracellular C terminus. TNFSF10 can interact with several distinct receptors. Two of these receptors that belongs to TNFR superfamily, DR4 (TRAIL-R1) and DR5 (TRAIL-R2/TRICK2), are plasma membrane proteins containing intracellular death domains essential for activating apoptosis. TNFSF10 is promising for cancer therapy because it is cytotoxic and activates apoptosis in the majority of malignant cells, but not in normal cells.

### **Note**

For Research Use Only , Not for Diagnostic Use.