Product Name: Recombinant Human EGR1 (N-6His)

Catalog #: PEH1843



Summary

Name Zinc finger protein 225/EGR1/ZNF225

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Early Growth Response Protein 1 is produced by our

E.coli expression system and the target gene encoding Gln282-Ser433 is

expressed with a 6His tag at the N-terminus.

Accession # P18146

Host E.coli

Species Human

Predicted Molecular Mass 19.9 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.


SDS-PAGE image

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Recombinant Human EGR1 (N-6His)

Catalog #: PEH1843





Alternative Names

EGR-1; Early growth response protein 1; Zif268; zinc finger protein 225; NGFI-A; nerve growth factor-induced protein A;

Background

EGR-1 belongs to the EGR family of C2H2-type zinc finger proteins. It is a nuclear protein and functions as a transcriptional regulator. EGR-1 recognizes and binds to the DNA sequence 5-CGCCCCGC-3(EGR-site). The products of target genes it activates are required for differentiation and mitogenesis. Studies suggest this is a tumor suppressor gene. EGR-1 has a distinct pattern of expression in the brain, and its induction has been shown to be associated with neuronal activity. Several studies suggest it has a role in neuronal plasticity. EGR-1 has also been found to regulate the expression of synaptobrevin II (a protein important for synaptic exocytosis).

Note

For Research Use Only, Not for Diagnostic Use.