


## Summary

<b>Name</b>	ZW10 interactor/ZWINT
<b>Purity</b>	Greater than 95% as determined by reducing SDS-PAGE
<b>Endotoxin level</b>	<1 EU/μg as determined by LAL test.
<b>Construction</b>	Recombinant Human ZW10 Interactor is produced by our E.coli expression system and the target gene encoding Met1-Pro277 is expressed with a 6His tag at the N-terminus.
<b>Accession #</b>	AAI10400.1
<b>Host</b>	E.coli
<b>Species</b>	Human
<b>Predicted Molecular Mass</b>	33.4 KDa
<b>Formulation</b>	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
<b>Shipping</b>	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
<b>Stability&amp;Storage</b>	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
<b>Reconstitution</b>	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## SDS-PAGE image



## Background

**Product Name: Recombinant Human ZWINT (N-6His)**  
**Catalog #: PEH1847**



---

**Alternative Names**

ZW10 Interactor; ZW10-Interacting Protein 1; Zwint-1; ZWINT

**Background**

ZW10 Interactor is localized to the kinetochores from late Prophase to Anaphase and has a uniform distribution in the cytoplasm of Interphase cells. ZWINT interacts ZW10, MIS12 and NDC80 subunit of the NDC80 complex specifically during mitosis. ZWINT is a part of the MIS12 complex which is required for kinetochore formation and spindle checkpoint activity. In addition, ZWINT is required to target ZW10 to the kinetochore at prometaphase.

**Note**

For Research Use Only , Not for Diagnostic Use.