Summary

Tryptophan Synthase Name

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/µg as determined by LAL test.

Construction Recombinant E.coli Tryptophan Synthase is produced by our E.coli expression

system and the target gene encoding Met1-Ser268&Thr2-Ile397 is expressed

with a 6His tag at the N-terminus.

Accession # P0A877&P0A879

Host E.coli **Species** E.coli

Predicted Molecular Mass 28.7&43.8 KDa

Formulation Supplied as a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped on dry ice/polar packs. Upon receipt, store it immediately

at the temperature listed below.


Stability&Storage Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution

SDS-PAGE image



Alternative Names

Tryptophan synthetase; Tryptophan synthase

Background

Tryptophan synthase is a multienzyme $\alpha2\beta2$ complex composed of two protein subunit. Tryptophan synthase catalyzes the last two steps in the synthesis of L-tryptophan (L-Trp). The α -subunit catalyzes cleavage of 3-indole-d-glycerol 3'-phosphate (IGP) to give indole and D-glyceraldehyde 3'-phosphate (G3P). Indole is then transferred through a 25-Å hydrophobic tunnel to the β -subunit. The $\beta2$ subunit contains pyridoxal 5-phosphate and catalyzes several pyridoxal 5-phosphate-dependent reactions, including/3-elimination reactions 6 and a thiol-dependent transamination reaction. This enzyme is commonly found in Eubacteria, Archaebacteria, Protista, Fungi, and Plantae, but is absent from Animalia. As humans do not have tryptophan synthase, this enzyme has been explored as a potential drug target.

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838