

Product Name: Recombinant Human CFHR2 (C-6His)
Catalog #: PHH0399




Summary

Name	CFHR2/Complement Factor H-related 2
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/μg as determined by LAL test.
Construction	Recombinant Human Complement Factor H-Related 2 is produced by our Mammalian expression system and the target gene encoding Glu19-Lys270 is expressed with a 6His tag at the C-terminus.
Accession #	P36980
Host	Human Cells
Species	Human
Predicted Molecular Mass	29.78 KDa
Formulation	Lyophilized from a 0.2 μm filtered solution of 20mM PB, 200mM NaCl, 2mM EDTA, pH 7.4.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image

Product Name: Recombinant Human CFHR2 (C-6His)
Catalog #: PHH0399



Alternative Names

Complement Factor H-Related Protein 2; FHR-2; DDESK59; H Factor-Like 3; H Factor-Like Protein 2; CFHR2; CFHL2; FHR2; HFL3

Background

Complement Factor H-Related Protein 2 (CFHR2) is a secreted protein that belongs to the complement factor H protein family. Members of the H-related protein family are exclusively composed of individually folded protein domains, termed short consensus repeats (SCRs) or complement control modules. CFHR2 is synthesized as a 270 amino acid precursor that contains an 18 amino acid signal peptide and a 252 amino acid mature chain with 4 Sushi (CCP/SCR) domains. CFHR2 is synthesized in the liver and secreted into plasma. It may be involved in complement regulation. CFHR2 can also be associated with lipoproteins and may play a role in lipid metabolism.

Note

For Research Use Only , Not for Diagnostic Use.