Summary

Name IFNA4/IFN-alpha 4

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/µg as determined by LAL test.

Construction Recombinant Human Interferon Alpha-4 is produced by our Mammalian

expression system and the target gene encoding Cys24-Asp189 is expressed

with a 6His tag at the C-terminus.

Accession # P05014

Host **Human Cells**

Species Human

Predicted Molecular Mass 20.4 KDa

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. **Formulation**

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Lyophilized protein should be stored at \leq -20°C, stable for one year after receipt. Stability&Storage


Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at \leq -20°C for 3 months.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Human IFN alpha4 (C-6His) Enkilife Catalog #: PHH0826

Alternative Names Interferon alpha-4; Interferon alpha-4B; Interferon alpha-76; Interferon alpha-M1;

IFNA4

Background Interferon stimulates the production of two enzymes: a protein kinase and an

oligoadenylate synthetase. They allow for communication between cells to trigger the protective defenses of the immune system that eradicate pathogens or tumors. They are typically divided among three IFN classes: Type I, Type II and Type III. IFNA4 is a secreted protein and produced by macrophages. Two variants of IFNA4 (IFNA4a and IFNA4b) are known, which differ from each other by changes in their

coding regions at nucleotide positions 220 and 410.

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838