Product Name: Recombinant Human IL-9 (C-6His)

Catalog #: PHH0939



Summary

Name IL-9/Interleukin-9

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human Interleukin-9 is produced by our Mammalian expression

system and the target gene encoding Gln19-Ile144 is expressed with a 6His

tag at the C-terminus.

Accession # P15248

Host Human Cells

Species Human

Predicted Molecular Mass 15.16 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.


SDS-PAGE image

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Recombinant Human IL-9 (C-6His)

Catalog #: PHH0939





Alternative Names

Interleukin-9; IL-9; Cytokine P40; T-Cell Growth Factor P40; IL9

Background

Interleukin-9 (IL-9) is a secreted protein that belongs to the IL-7/IL-9 family. IL-9 supports IL-2 independent and IL-4 independent growth of helper T-cells. IL-9 stimulates cell proliferation and prevents apoptosis. It functions through the IL-9 receptor (IL-9R), which activates different signal transducer and activator (STAT) proteins and thus connects this cytokine to various biological processes. IL-9 has been identified as a candidate gene for asthma. IL-9 is a determining factor in the pathogenesis of bronchial hyperresponsiveness.

Note

For Research Use Only, Not for Diagnostic Use.