Product Name: Recombinant Human INHBC (C-6His) Catalog #: PHH0948

EnkiLife

Summary

INHBC/NACGT1 Name

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/µg as determined by LAL test.

Construction Recombinant Human Inhibin Beta C Chain is produced by our Mammalian

expression system and the target gene encoding Thr19-Ser352 is expressed

with a 6His tag at the C-terminus.

P55103 Accession #

Host **Human Cells**

Species Human

Predicted Molecular Mass 37.5 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM Tris-HCl, 10% Trehalose, 2%

Mannitol, 0.05%Tween80, pH8.2.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 Stability&Storage


months under sterile conditions after opening. Please minimize freeze-thaw

cvcles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Product Name: Recombinant Human INHBC (C-6His) Catalog #: PHH0948

C EnkiLife

Background

Alternative Names Inhibin Beta C Chain; Activin Beta-C Chain; INHBC

Background Inhibin beta C chain, also known as activin beta-C chain and INHBC, belongs to the

TGF-beta family. INHBC forms a homodimeric or heterodimeric through association with alpha and beta subunits, linked by one or more disulfide bonds. Inhibins are heterodimers of one alpha and one beta subunit. Activins are homoor heterodimers of beta subunits only. Inhibins/activins regulates many physiological processes, such as hypothalamic and pituitary hormone secretion, gonadal hormone secretion, germ cell development and maturation, erythroid differentiation, insulin secretion, nerve cell survival, embryonic axial development

or bone growth and so on.

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838