# **Product Name: Recombinant Human VIP36 (C-6His)**

Catalog #: PHH1091



### **Summary**

Name LMAN2/C5orf8/Glycoprotein GP36b

**Purity** Greater than 95% as determined by reducing SDS-PAGE

**Endotoxin level** <1 EU/μg as determined by LAL test.

Construction Recombinant Human Vesicular Integral-Membrane Protein VIP36 is produced

by our Mammalian expression system and the target gene encoding Asp45-

Arg322 is expressed with a 6His tag at the C-terminus.

Accession # Q12907

**Host** Human Cells

**Species** Human

Predicted Molecular Mass 32.7 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 50mM Tris-HCl, 10mM GSH, pH 8.0.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at  $\leq$ -70°C, stable for 6 months after receipt. Store at  $\leq$ -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is


not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

### SDS-PAGE image

# **Product Name: Recombinant Human VIP36 (C-6His)**

Catalog #: PHH1091





#### **Alternative Names**

Vesicular Integral-Membrane Protein VIP36; Glycoprotein GP36b; Lectin Mannose-Binding 2; Vesicular Integral-Membrane Protein 36; VIP36; LMAN2; C5orf8

## **Background**

Vesicular integral-membrane protein VIP36 is also known as Glycoprotein GP36b, Lectin mannose-binding 2, Vesicular integralmembrane protein 36, LMAN2 and C5orf8. LMAN2 is widely expressed and contains one L-type lectin-like domain. LMAN2 binds high mannose type glycoproteins and may facilitate their sorting, trafficking and quality control. LMAN2 plays a role as an intracellular lectin in the early secretory pathway. LMAN2 interacts with N-acetyl-D-galactosamine and high-mannose type glycans and may also bind to O-linked glycans. LMAN2 is also involved in the transport and sorting of glycoproteins carrying high mannose-type glycans.

#### Note

For Research Use Only, Not for Diagnostic Use.