Product Name: Recombinant Human VSIG8 (C-6His)

Catalog #: PHH1820



Summary

Name VSIG8/V-Set and Ig Domain-Containing Protein 8

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human V-Set And Ig Domain-Containing Protein 8 is produced

by our Mammalian expression system and the target gene encoding Val22-

Gly263 is expressed with a 6His tag at the C-terminus.

Accession # PODPA2

Host Human Cells

Species Human

Predicted Molecular Mass 27.9 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM NaAC-HAc, 5%Trehalose, pH

4.5.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3


months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Human VSIG8 (C-6His)

Catalog #: PHH1820



Alternative Names V-set and immunoglobulin domain-containing protein 8; VSIG8; C1orf204

Background V-set and immunoglobulin domain-containing protein 8(VSIG8) is a single-pass

type I membrane protein. The human VSIG8 cDNA encodes 414 amino acids (aa) including a 21 aa signal sequence, a 242 aa extracellular domain (ECD) containing 2 Ig-like V-type (immunoglobulin-like) domains, a 21 aa transmembrane domain and

a 130 aa cytoplasmic domain. The funtion of VSIG8 is not clear.

Note

For Research Use Only, Not for Diagnostic Use.