


## Summary

Name	FGL-1/Fibrinogen-like protein 1
Purity	Greater than 95% as determined by reducing SDS-PAGE
Endotoxin level	<1 EU/µg as determined by LAL test.
Construction	Recombinant Human Fibrinogen-like Protein 1 is produced by our Mammalian expression system and the target gene encoding Leu23-Ile312 is expressed with a human IgG1 Fc tag at the C-terminus.
Accession #	Q08830
Host	Human Cells
Species	Human
Predicted Molecular Mass	60.9 KDa
Formulation	Lyophilized from a 0.2 $\mu m$ filtered solution of $$ PBS, 5% Trehalose, pH 7.4.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Stability&Storage	Store at $\leq$ -70°C, stable for 6 months after receipt. Store at $\leq$ -70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## **SDS-PAGE** image



## Background



Alternative NamesFibrinogen-like protein 1; FGL1; HP-041; Hepassocin; HFREP-1; LFIRE-1BackgroundFibrinogen-like protein 1(FGL1) is also known as HP-041, Hepassocin, HFREP-1,<br/>LFIRE-1, is a liver-specific secreted protein belonging to the fibronogen<br/>superfamily, whose members share a fibrinogen domain at their C-termini. It is<br/>secreted by the liver and functions as a mitogen for hepatocytes. Hepassocin may<br/>play a role in the development of hepatocellular carcinomas. Hepassocin is a<br/>disulfide-linked homodimeric protein with a C-terminal fibrinogen domain. It is<br/>reported that it is a major immune inhibitory ligand of LAG-3.

## Note

For Research Use Only, Not for Diagnostic Use.