Product Name: Recombinant Human MAdCAM-1 (C-6His) Enkilife Catalog #: PHH2341

Summary

Name MAdCAM-1

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <1 EU/μg as determined by LAL test.

Construction Recombinant Human MADCAM1 is produced by our Mammalian expression

system and the target gene encoding Gln19-Gln333 is expressed with a 6His

tag at the C-terminus.

Accession # Q4PKD0

Host Human Cells

Species Human

Predicted Molecular Mass 34 KDa

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Store at \leq -70°C, stable for 6 months after receipt. Store at \leq -70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw


cycles.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Alternative Names

hMAdCAM-1; MACAM1; MAdCAM1; mucosal addressin cell adhesion molecule 1

Background

Mucosal addressin cell adhesion molecule-1 (MAdCAM-1) is an approximately 60 kDa type 1 transmembrane glycoprotein. It is an endothelial cell adhesion molecule that belongs to the immunoglobulin (Ig) superfamily of proteins. The Ig domains of MAdCAM-1 are critical to alpha (4) beta (7) binding, and the mucin domain has activity in L Selectin binding. MAdCAM-1 expression is upregulated by TNF-alpha and IL 1 beta. Mucosal addressin cell adhesion molecule (MAdCAM-1) plays a pivotal role in Tlymphocyte homing to the gut. MAdCAM 1 expression is also dramatically increased in chronic inflammatory and disease states, including inflammatory bowel disease (Crohn's disease and ulcerative colitis), sclerosing cholangitis, and diabetes, and may play an important role in these conditions.

Note

For Research Use Only, Not for Diagnostic Use.