Product Name: Recombinant Human Wnt3a V2

Catalog #: PHH2434



Summary

Name Wnt3a V2

Purity Greater than 95% as determined by reducing SDS-PAGE

Endotoxin level <0.01 EU/μg as determined by LAL test.

Construction Recombinant Human Protein Wnt-3a is produced by our Mammalian

expression system and the target gene encoding Ser19-Lys352 is expressed

with a fusion design at the N-terminus.

Accession # P56704

Host Human Cells

Species Human

Predicted Molecular Mass 105.7 kDa

Formulation Lyophilized from a 0.2 µm filtered solution of 10mM PB, 5% Sucrose, 0.01% Tween

80, pH7.4.

Shipping The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Stability&Storage Lyophilized protein should be stored at \leq -20°C, stable for one year after receipt.


Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at \leq -20°C for 3 months.

Reconstitution Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is

not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE image



Background

Product Name: Recombinant Human Wnt3a V2

Catalog #: PHH2434



Alternative Names

MGC119418; MGC119419; MGC119420; protein Wnt-3a; wingless-type MMTV

integration site family, member 3A; Wnt3a; Wnt-3a

Background

Wnt-3a is one of 19 vertebrate members of the Wingless-type MMTV integration site (Wnt) family of highly conserved cysteine-rich secreted glycoproteins important for normal developmental processes.Required for normal embryonic mesoderm development and formation of caudal somites. Required for normal morphogenesis of the developing neural tube (By similarity). Mediates self-renewal

of the stem cells at the bottom on intestinal crypts (in vitro).

Note

For Research Use Only, Not for Diagnostic Use.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838